Wednesday, 5/31/2006 7:39:32 AM

Kim Johnston

Process Sheet

: CU-DAR001 Dart Helicopters Services Customer

Job Number : 27298 **Estimate Number** : 10925

:NIA P.O. Number

This Issue : 5/31/2006 Prsht Rev.

·MA

: N/A

S.O. No. : N/A

Part Number

Drawing Name

: D2003105

: TUBE ASSEMBLY

Drawing Number

: D2003 REV B : N/A

Project Number Drawing Revision

: NIA

Material : 6/30/2006

Due Date

Qtv:

5 Um:

Each

Previous Run Written By

First Issue

Checked & Approved By Comment

B (20.01.12

: SMALL /MED FAB

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Photocopy bluefile & type labels per PPP D2003-105

06/06/27

2.0

1.0

M304TR0375W035

304 TUBING



Comment: Qty.:

0.9275 f(s)/Unit Total:

4.6373 f(s)

304 TUBING

Material:3/8"Æ x 0.035" wall 6061-T6 tubing

3.0

M26506

Firesleeve-crkl .375IDia



Comment: Qty.:

Material: M2650-6 Heat sleeve

0.9406 f(s)/Unit Total:

4.7030 f(s)

MS208196D

06.08.16

4.0

Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s)

> Sleeve Pick:

Description

Qty Part Number

2 MS20819-88

Sleeve

1717654

FF 06-08.16

AN8186D

Nut

Comment: Qty.:

2.0000 Each(s)/Unit Total: 10.0000 Each(s)

Pick: **Qty Part Number**

Description

Batch

Page 1,

Form: rprocess

Dart Aerospace Ltd

W/O:		WORK ORDER CHA	ANGES	***************************************			
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspectes
G=0608	4	permant change	FF	06.06.08	6		ados
						V	

NCR:		· W	WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	Ammerical	Annessal		
DATE	STEP	STEP Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector		
					:					
-										

Part No:	PAR #:	Fault Category:	NCR:	Yes	No	DQA:	Date:	÷
NOTE: Date & initial all entries				QA: N	/C CI	osed:	Date:	·

H:\forms\Quality Assurance\approved forms\NCRWO revC

	ednesday, 5/31/2006 7:39:32 AM on Johnston	Process Sheet	
Cµstomer	: CU-DAR001 Dart Helicopters S	Services Drawing Name: TUBE AS	SEMBLY
L. I. M Is a	27200	Dord Novemberr D200210	,
Job Number Job Number:	11111111111111111111111111111111111111	Part Number: D200310	0
VOD TRAINIDON			
Seq. #:	Machine Or Operation:	Description :	
	2 AN818-6D Nut	17651	FF 26.08.16
6.0	D3158	Heat Shrink	, , , , , , , , , , , , , , , , , , , ,
Comm	ent: Qty.: 0.3750 f(s)/Unit Heat Shrink	Total: 1.8750 f(s)	
^	Pick:		
[h]	Qty-Rart Number 97 Desc	cription Batch rink - Batch B21864A	FF 06.08.16
7.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1	7. 80.00.
Comm	ent: SMALL & MEDIUM FAB R	RESOURCE 1	27.7
	Cut as per template D2003	3-105 (10.60 tong) Make per templele	1/2603-163
	Cut: 10.75" long as per Dv Form tube as per template		P06.08.15
	Assemble as per Dwg D20		
		•	
			FF. 06-08-16
8.0	QC5	INSPECT WORK TO CURRENT STEP	
	, r		
Comm	ent: INSPECT WORK TO CUR	RRENT STEP	SD 06/08/16
9.0	PACKAGING 1	PACKAGING RESOURCE #1	110111111111111111111111111111111111111
Comm	ent: PACKAGING RESOURCE	E #1	CL
	Identify and Stock Location: 57300		B 06/08/18
10.0	DC	DOCUMENT CONTROL	
Commo	ent: DOCUMENT CONTROL		
	Inspection Level 21		7 06/08/18
ob Completion			U Do.08-18
) (##1116 #1616) 1161 1616) 1616) 1616) 1616) 1616)	1114111111111	
		·	i

Form: rprocess

Page 2

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
							•
		·			ļ.,		
							L

NCR:		W	VORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification	Approval	Approved				
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Design Mgr	Approval QC inspector			
06/08/15	7	Tub, wall Thattend	18 anan	Destroy of veptice	FF 06.08.15	08.08.16	Desin	B ccos 4			
**											
						-					

Part No:	PAR #:	Fault Category: N	ICR:	Yes No DQA:	Date: 106/ 23/10
NOTE: Date & initial all entries				QA: N/C Closed:	Date:





		581	
DESIG	94)	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEO	KED	APPROVED	DRAWING NO. REV. 8
4	45	1 47	D2003 SHEET 1 OF 2
DATE	,		TITLE SCALE
 99.0	6.08		206 CABIN HEATER TUBE ASSEMBLIES NTS
Α		90.04.09	NEW ISSUE
В	:	99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)

RELEASED AMOGOS KE

P/N	TEMPLATE	HEATSLEEVE LENGTH [†]	CUT LENGTH OF TUBE?	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-ED NUT	DESC.	MATERIAL ^{4/8/7}	VENDOR OR SPEC
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7.3	8.12					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	VW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-011	T2003-011	33.31	32.38	1				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54			1		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18.00	T				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25	i .				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-019	T2003-019	9.8	10.62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-021	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5.33			2	. 2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10.60			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-029	17.2	18.00			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-031	T2003-031	14.6	15.38	2	2.					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
-D2003-035	_T2003-035	24.7	27.00-	-2	-2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	24.81	23.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2			,		TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3.50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13				.74.4	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-103	T2003-103	12.38	12.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	7 10.75	10.601	1				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8.25	8.125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	T2003-111	4.75	4.625			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-116	T2003-116	4.0								HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120	T2003-120	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	T2003-14	4.0								HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16	T2003-16	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-205	T2003-20 \$	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-207	T2003-207	3.75	3.75		I	l	I	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 01035 W	PYWW-T-700/6
											RETURN	OT
									1		NL 1 C	OING

16.8750,-

- 161,0625

UNCONTROLLED COPY
SUBJECT TO AMENDMENT


Copyright 1990 by DART AEROSPACE LTD

NO. 27298






_ ()		er yfs Lland diwe to select the	
DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ON	SPACE LTD TARIO, CANADA
CHECKED	APAROVED	DRAWING NO. D2003	REV. B SHEET 2 OF 2
DATE		TITLE	SCALE
99.06.08		206 CABIN HEATER TU	JBE ASSEMBLIES NTS



Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE



DESIGN	DRAWN BY	DART AEROSPACE LI	_		
B WILLIAM	IS K HAND	VICTORIA INTERNATIONAL AIRPORT, CAN	NOA		
CHECKED	APPROYED /	DRAWING NO.		REV.	c
Bu	MZ	D206-571 SHE	ET 1	OF	11
DATE	7	TITLE		SCA	Œ
JUNE 9,	1992	BELL 206 HEATING SYSTEM			
C JUN	NE 30, 1995	RE-DRAWN			

1	Part No.	Description	-011	-013	-043	-341	-345
↲	-D206-571-011	Heater Kit 206A/B/L	X,			}	
	D206-571-013	Heater Kit 206L1/L3/L4		X			
٦	D206-571-043	Vaive/Manifold Assembly	1'	1	X	1	1
	D206-571-341	Supplementary Heater Kit 206A/B	 			X	
ı	D206-671-345	Supplementary Heater Kit 206L1/L3/L4	 				X
- 1	D200-07 1-0-0	Supplementary meater Air 2002 // Large	 				
- 1	02001-08	Valve	 		1		
]	D2003-041	Tube Assembly (8J)	1		···········		
7	D2003-043	Tube Assembly (8J)	1 1				
4	D2005-001	Hose Assembly (8J)	1 1			1	1
1	-D2005-009	Hose Assembly (8J)	1 1	2		1	1
1	D2005-011	Restrictor	1	-			<u> </u>
7	D2005-013	Restrictor	1				
*	D2007-001	Adapter	<u> </u>	1			
1	D2026-101	Screw	 	<u>-</u>	2		
[]	D2050	Grille	1	1	*	1	1
7	D2120	Tab Washer	 	· · · ·	1		
J	D2162-3R-096	Control Cable	1		· · · · · · · · · · · · · · · · · · ·	1	
-	D2162-3R-120	Control Cable		1		•	1
	D2155	Adapter, 2" - 3" Hose	 	<u> </u>			
1	D2156	Vent Flange	1	1		1	1
Ť	D2160	Lever	· · · · · · · · · · · · · · · · · · ·		1	· · · · · ·	
N	D2377	Flow Divider	1	1		1	1
"	D2410	Aspirator Manifold Assembly	· ·	•	1	····	
	D2455	Noise Attenuator			1		
۱.	SCEET 12	Hose 3"dia	11'	11'		11'	11'
7	AN526-832R6	Screw	10	10		10	10
7	AN526-1032R12	Screw	6.	10		8	10
	AN804-8J	Bulkhead Tee Fitting	1	1		1	1
J	AN814-L8J	Cap, Male	1	1			
7	AN815-8J	Union	1	1			
	AN816-8-8D	Nipple			1		
A	AN824-8J	Tee Fitting	1				
Ť	AN919-12D	Reducer					
A	AN924-8J	Nut	3	1		1	1
H	AN929-8J	Cap, Female	1	1			
	AN938-8D	Tee, Female					
	AN938-8J	Tee, Female	1'				
V	AN960JD10	Washer	10	10		10	10
V	AN960JD8	Washer	10	10		10	10
V	AN960C1216	Washer	2	2		2	2
	QS100-24S	Clamp					
V	QS100-48S	Clamp	8	8		8	8
4	MS9385-08	O'Ring	5	2			
V	MS21042L3	Nut (Option MS21042-3)	6	10		6	10
J	MS21042L08	Nut (Option MS21042-08)	10	10		10	10
N	MS21919DG6	Clamp, Cushion	6	10		6	10
V	NAS48DD3-24	Spacer	6	10		6	10
- 1	23007167	Gasket		1			



DESIGN B WILLIAMS	ORAWN BY	DART AEROSPACE VICTORIA INTERNATIONAL ARPORT.	
CHECKED	APPROVED!	DRAWING NO.	REV. C
Bu)	142	D206-571	SHEET 2 OF 11
DATE		TITLE	SCALE
JUNE 9, 19	92	BELL 206 HEATING SYSTEM	
C JUNE	30, 1995	RE-DRAWN	

GENERAL NOTES:

1. CAUTION

ENSURE TUBING, FITTINGS, AND VALVES OF THIS SYSTEM CLEAR STRUCTURE, WIRING AND COMPONENTS BY A MINIMUM OF 0.25 INCH AND CLEAR CONTROLS BY A MINIMUM OF 0.40 INCH.

THIS CAN BE ACCOMPLISHED BY THE PROCEDURES OF THE DRAWINGS AND BY FOLLOWING THE STANDARD CLAMPING PRACTICES OF AC43.13.1A USING MS21919 CLAMPS (OR EQUIVALENT) OF AN APPROPRIATE SIZE.

2. ON C20B AND C20R ENGINES

REMOVE ANN814-8 PLUG OR PARTICLE SEPARATOR RESTRICTOR AND REPLACE WITH D2005-013 RESTRICTOR C/W AN939-8J, 'O' RING AND LOCKNUT AS SHOWN ON SHEET 8. REINSTALL AN814-8 OR PARTICLE SEPARATOR RESTRICTOR IN AN939-8J AS SHOWN ON SHEET 8.

3. LOCKWIRE

LOCKWIRE PER MS33540 USING MS20995C LOCKWIRE.

4. COMPATIBILITY

COMPATIBILITY OF THIS INSTALLATION WITH THE AIRCRAFT IS THE RESPONSIBILITY OF THE INSTALLER. ENSURE THAT THIS INSTALLATION DOES NOT CONFLICT WITH A PREVIOUS MODIFICATION.

E. WORKMANSHIP

UNLESS OTHERWISE STATED ALL WORKMANSHIP IS TO BE TO THE STANDARDS OF THE AIRCRAFT MAINTENANCE MANUAL AND AC 43.13.1A

6. INSTALLATION INSTRUCTIONS

THIS DRAWING IS TO BE USED IN CONJUNCTION WITH INSTALLATION INSTRUCTIONS IIN-D206-571.

7. CONTINUING AIRWORTHINESS


THIS INSTALLATION SHOULD BE MAINTAINED IN ACCORDANCE WITH MAINTENANCE MANUAL SUPPLEMENT MMS-D206-571.

8. SUPPLEMENTARY HEATER KITS

SUPPLEMENTARY HEATERS MUST BE INSTALLED IN CONJUNCTION WITH DART HEATER KIT D206-570 ie:

D206-571-341 MATES WITH D206-570-141 D206-571-345 MATES WITH D206-570-145 Copyright 1992 by DART AEROSPACE LTD

	Electron Delates construction miles and construction of the constr	T.
, •		
re- Na		
•		!
·		
·.		
		4
		•
		·
	$oldsymbol{\cdot}$	
la.	and a definition of the state o	



U SE

ထ

1992

9517

206

HEATING

SYSTEM

SHEET ◆


SCALE 11

REV.C

JUNE

30,1995


RE-DRAWN



Copyright 1992


à

DART AEROSPACE LTD





DESIGN B WILLIAMS	K HAND	DART AEROSPACE		
CHECKED	APPROVED/	DRAWING NO.		REV. C
Bu	18/42	D206-571	SHEET	5 OF 11
DATE)	TITLE		SCALE
JUNE 9, 19	92/	BELL 206 HEATING SYSTEM		
C JUNE	30, 1995	RE-DRAWN		



		•	- : - : - : - : - : - : - : - : - : - :	
				H
				1
				i
		•		
				† - · · · · · · · · · · · · · · · · · ·
				· · · · · · · · · · · · · · · · · · ·
				į.
				:
				i
				•
				•
o i				

WILLIAMS

JUNE

ထ

1992

9ELL

206

HEATING


SYSTEM

D206-571

SHEET **G** ٩ : REV.

SCALE

30




	· [200] ● 在中间, 在	100
	· · · · · · · · · · · · · · · · · · ·	
,		
	!	
	i	
	· ·	
,		:
•		
	\cdot	
`		
		j
	\cdot	
	\cdot	
		•
	al and debug to subhabb ase short in .	
Parti i de la companya del companya della companya	Harriston and Matthews and Marie 1.	

Γ	lo =	l.,,	r	
	REV. C 7 OF 11	SCALE		
LTD	SHEET			
PA(SYSTEM		
AEROSPACE INTERNATIONAL ARPORT				THE BUNG
AE		ATIN		NO
DART	=	206 HEATING	N N	MEM VIEW (2) WASHER AN SCOCISIC (2) CAP AN SSS-8T
۲۵۶	12		-DRAWN	BULKHERD TEE ANGO 4-8T
	DZ06	mre BELL	RE	D D RECLION D D
	1		1995	WETHE 332
DRAWN BY	ROSEO (HOSE HOSE DEODS-OOTO VALVE WHEN DROG-570
		1992	E 30	
NAT -	GECKEI Ag.	တ်	JUNE	2.50
DESIGN R	SHECKE ON SHECKE	ONTE JUNE	ပ	EIRENIUT.
	<u> </u>	,		ENGINE PAN
				E S ENGINE TO ENGINE SEE SHITS 8 ! 9
				LE INSTALLED THE INSTALLED THE INSTALLED
į	13			(iii) 'B' (iii)
	7			

	・ 1000 1000 1000 1000 1000 1000 1000 10		1	
		•		
•				:
				1
				:
				:
				1
à				, :
na ·				
.				
\ * -				i
· .				
				1 3
,				
				:
				•
			•	
				9
Generalia .	result			




oes B	IGN WILLIAMS	DRAWN BY	DART AEROSPACE		
	CKED	APPROVED	DRAWING NO. D206-571	SHEET 8	REV. C
JU	NE 9, 19	92	BELL 206 HEATING SYSTEM		SCALE
С	JUNE	30, 1995	RE-DRAWN		




DART AEROSPACE LTD B WILLIAMS K HAND NCTORN INTERNATIONAL ARPORT, CANADA CHECKED APPROVED DRAWING NO. D206-571 SHEET 9 OF 11 DATE JUNE 9, 1992. BELL 206 HEATING SYSTEM	CSOB CODD ENCINES CROSS (CSOB) CSOB ENCINES CSOB CSOB ENCINES CSOB CSOB ENCINES CSOB CSOB CSOB CSOB CSOB CSOB CSOB CSOB
	(באפייוב אבפסרד (בינט)



02020



Market of the second of the se		e Marian		1.55
*				į.
	٠			
. ' •				-
 Y				
: V' :-				
û.				
				1
				1
:				
V				
*		•		
				1
				,
				1.
	•			1 1
			•	1 .
				*
			•	5
				<i>5</i> 7
			•	•
	The state of the s			
mer constant of the constant o	→ 知明之前、司政司令 (Addition Addition Add			1



		:
RE-DRAWN	JUNE 30, 1995	ဂ
BELL 206 HEATING SYSTEM	JUNE 9, 1992	N C C
THE SCALE		DATE
D206-571 SHEET 11 OF 11	8 /M/L	N
DRAWING NO. REV. C	CHED AND MANAGEN	CHECKED
VICTORIA INTERNATIONAL AIRPORT, CANADA	B WILLIAMS K HAND	60 <
DART AEROSPACE LTD	CN ORAWN BY	OESICN